

Soldering iron



Art. No. 155095

Type No. LK.H.38



Exemplary illustration

This ready-to-use burner with hammer copper consists of a classic round wooden handle, a shut-off or control valve at the rear, an air slide for regulating the intake air, a burner insert with protective cover and a piston holder.


Technical data

Material	brass, wood, stainless steel, copper
Thread	G 3/8 LH ET
Temperature range	-20 to 60 °C
Gas type	propane
Max. operating pressure	4 bar
Standard	acc. to EN ISO 9012
For hose	I.D. 6 mm

Commercial data

Customs tariff number	84682000
Country of origin	TR
eCl@ss 5.1.4	21080101
eCl@ss 9.0	21080190
UNSPSC_Code_v190501	23271700
UNSPSC_CodeDesc_v190501	Welding and soldering and brazing accessories

Dimensions



Product informations

Features:

- Wooden handle
- Stainless steel protective cover
- Removable hose connection

Accessories

	Art. No.	Type No.
Hammered copper, weight: 500g, for soldering iron	155098	HK.500
Pointed copper, weight: 250g, for soldering iron	155099	SK.250
Pointed copper, weight: 350g, for soldering iron	155100	SK.350

Spareparts

	Art. No.	Type No.
Hammered copper, weight: 350g, for soldering iron	155097	HK.350

Spareparts

	Art. No.	Type No.
Protective cover for soldering iron, stainless steel	155093	SH.L